# Havasu

National Wildlife Refuge



Birding at Havasu National Wildlife Refuge Havasu National Wildlife Refuge encompasses 37,515 acres adjacent to the Colorado River. Topock Marsh, Topock Gorge, and the Havasu Wilderness constitute the three major portions of the refuge. Habitat varies from cattail-bulrush back waters and shrubby riparian lowlands to steep cactus-strewn cliffs and mountains. Due to the southerly location of the refuge it is primarily a wintering area and stopover point for migrating birds.

The 318 species are listed in accordance with the 7th edition (1998) A.O.U. checklist and its supplements through July 2011.

If you should find an unlisted or rare species during your visit, please contact the Refuge staff and provide a description. The refuge birds do not recognize traditional calendar seasons, therefore, season designations for species are intended as general guidelines.

Summer status indicated for many non-breeding species of shorebirds, terns, flycatchers, vireos, swallows, warblers, tanagers, and grosbeaks actually refers to fall migration, which begins in July and August for these groups.

As landscapes change due to human activities and natural processes, species populations and distributions must change as well. Over time, species may become locally absent (extirpated), restored, newly arrived, endangered, or even extinct. Some have always been rare on the Lower Colorado River. On Havasu NWR, extirpated species include Harris's hawk, gilded flicker, and northern cardinal.

We manage habitat to help recover declining species including many of the waterfowl as well as riparian forest birds such as the yellow-billed cuckoo and summer tanager.

### How to use your checklist

Symbols used in this list are defined as follows:

#### **Occurrence**

- Sp Spring period of spring migration (depending on species) from mid-February to early June.
- S Summer June to August.
- F Fall period of fall migration (depending on species) from mid-July to November.
- **W** Winter December to February.

#### **Abundance**

- A Abundant. A very numerous species.
- C Common. Certain to be seen in suitable habitats.
- U Uncommon. Present, not certain to be seen.
- O Occasional. Seen few times during a season.
- **R** Rare. Seen at intervals of 2 to 5 years.
- X Accidental. Fewer than 3 records; vagrants outside their usual range.
- \* Confirmed nester.
- \*\* Occasional nester.

Italicized bird names indicate threatened or endangered species.



	Sp	S	F	W
Ducks, Geese and Swans				
Fulvous Whistling-Duck				X
Greater White-fronted Goose	$\mathbf{R}$		U	O
Snow Goose (white morph)	O		$\mathbf{C}$	$\mathbf{C}$
Snow Goose (blue morph)			0	0
Ross's Goose			0	0
Brant	$\mathbf{X}$			
—Cackling Goose			0	0
Canada Goose	U		$\mathbf{C}$	$\mathbf{C}$
Trumpeter Swan	$\mathbf{X}$			
Tundra Swan	${ m R}$		0	0
_Wood Duck	O	$\mathbf{R}$	0	0
-*Gadwall	U	O	$\mathbf{C}$	С
Eurasian Wigeon	$\mathbf{X}$			X
American Wigeon	U	0	$\mathbf{C}$	$\mathbf{C}$
Mallard	$\mathbf{C}$	U	$\mathbf{C}$	$\mathbf{C}$
Northern Mallard	$\mathbf{C}$	U	$\mathbf{C}$	$\mathbf{C}$
Mexican Duck			X	
Blue-winged Teal	U	$\mathbf{R}$	U	U
Cinnamon Teal	$\dot{\mathbf{C}}$	0	Ā	O
Northern Shoveler	O	R	$\mathbf{C}$	$\mathbf{C}$
Northern Pintail	$\dot{\mathbf{C}}$	0	Ā	$\mathbf{C}$
Green-winged Teal	O	R	$\mathbf{C}$	Ā
Canvasback	O		U	U
*Redhead	$\dot{\mathbf{C}}$	0	Ċ	Ū
Ring-necked Duck	Ū	R	C	C
Greater Scaup	${ m R}$		R	R
Lesser Scaup	$\overline{\mathbf{C}}$	0	$\overline{\mathrm{C}}$	Ü
White-winged Scoter	_		$\ddot{\mathrm{R}}$	$\ddot{ m R}$
Long-tailed Duck				X
Bufflehead	$\mathbf{C}$		$\mathbf{C}$	C
Common Goldeneye	Ŭ		Ŭ	Ŭ
Barrow's Goldeneye	R			$\overset{\circ}{\mathrm{R}}$
_Hooded Merganser	0		U	Ü
Common Merganser	Ŭ	$\mathbf{R}$	Ü	Ü
Red-breasted Merganser	Ü	R	Ü	$^{ m C}_{ m R}$
_*Ruddy Duck	Č	0	Č	C
raday buck ew World Quail	C	J	J	C
*Gambel's Quail	A	A	A	A
_ Gamber's Quan ons	11	11	41	11
Red-throated Loon		X		
Pacific Loon	$\mathbf{R}$	X	R	R
Common Loon	Ü	R	U	U
Common Boon rebes	O	10	U	U
*Pied-billed Grebe	C	$\mathbf{C}$	$\mathbf{C}$	С
Horned Grebe	$\overset{\mathrm{C}}{\mathrm{R}}$	O	$\stackrel{ m C}{ m R}$	R
Red-necked Grebe	10		10	X
Eared Grebe	$\mathbf{C}$	0	$\mathbf{C}$	C
*Western Grebe	C	C	C	C
*Clark's Grebe	$^{\rm C}$	C	C	C
VIOLEGE	U	U	1	1/

	Sp	S	F	W
Storm-Petrels				
Black Storm-Petrel			X	
Least Storm-Petrel			X	
Boobies				
Blue-footed Booby			$\mathbf{X}$	
Brown Booby		X	X	
Cormorants				
Neotropic Cormorant			X	$\mathbf{R}$
*Double-crested Cormorant	Α	С	Ā	A
Pelicans		Ŭ		
American White Pelican	$\mathbf{C}$	0	$\mathbf{C}$	U
Brown Pelican	Ü	X	X	Ü
Herons, Bitterns and Allies				
American Bittern	0		O	0
*Least Bittern	$\ddot{\mathrm{C}}$	$\mathbf{C}$	$\ddot{\mathrm{C}}$	Ü
*Great Blue Heron	$\overset{ ext{C}}{ ext{C}}$	Č	Č	Č
*Great Egret	C	C	C	C
*Great Egret		C		C
*Snowy Egret	C	C	С	C
Tricolored Heron	X	ъ	R	ъ
Cattle Egret	R	$\stackrel{\mathrm{R}}{\sim}$	R	$\mathbf{R}$
*Green Heron	U	$\overset{\mathbf{C}}{\widetilde{\sim}}$	Ü	0
*Black-crowned Night-Heron	U	$\mathbf{C}$	$\mathbf{C}$	U
lbises and Spoonbills				
White-faced Ibis	U	U	C	U
Roseate Spoonbill			X	
Vultures				
Turkey Vulture	$\mathbf{C}$	С	С	O
Hawks, Kites, Eagles and Allies				
Osprey	O	${ m R}$	U	U
White-tailed Kite	${ m R}$			$\mathbf{R}$
Mississippi Kite		$\mathbf{X}$		
**Bald Éagle	O	${ m R}$	O	U
Northern Harrier	U	$\mathbf{X}$	$\mathbf{C}$	$\mathbf{C}$
Sharp-shinned Hawk	U		U	$\mathbf{C}$
*Cooper's Hawk	U	$\mathbf{R}$	С	C
Northern Goshawk	_		X	_
Red-shouldered Hawk	$\mathbf{X}$		R	$\mathbf{R}$
Swainson's Hawk	R			
Zone-tailed Hawk	R	${ m R}$		
*Red-tailed Hawk	C	C	$\mathbf{C}$	$\mathbf{C}$
Ferruginous Hawk	X	C	X	X
	Λ		Λ	R
Rough_legged Hawk	0	0	0	U
Golden Eagle Falcons	U	O	U	U
	C	т.т	a	a
*American Kestrel	$\mathbf{C}$	U	C	C
Merlin	D	ъ	0	0
Peregrine Falcon	$_{\mathrm{R}}$	$\mathbf{R}$	R	R
Prairie Falcon	${ m R}$		$\mathbf{R}$	R
Rails, Gallinules and Coots	_			
Black Rail	U	0	0	O
	U	U	U	U
*Virginia Rail	$\mathbf{U}$	U	U	U

	Sp	S	F	W
Rails, Gallinules and Coots (continued)				
Sora	$\stackrel{\text{C}}{\sim}$	0	$\stackrel{\text{C}}{\sim}$	U
*Common Gallinule	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Ų
*American Coot	C	$\mathbf{C}$	A	A
Cranes	0		0	
Sandhill Crane	O		О	
Plovers	0	0	0	
Black-bellied Plover	0	O	0	
Snowy Plover	0	0	0	
Semipalmated Plover	U C	0	U	a
*Killdeer	C	$\mathbf{C}$	$_{ m X}^{ m C}$	С
Mountain Plover			Λ	
Stilts and Avocets	TT	0	a	ъ
Black-necked Stilt	U	0	С	R
American Avocet	U	O	С	R
Sandpipers, Phalaropes and Allies	a	т.т	a	т.т
Spotted Sandpiper	С	U	С	U
Solitary Sandpiper	R	U	U	тт
Greater Yellowlegs	U	U	C	U
Willet	0	0	0	
Lesser Yellowlegs	U	О	0	
Whimbrel	R		R	
Long-billed Curlew	U	U	U	
Marbled Godwit	0	O	$\mathbf{C}$	
Ruddy Turnstone	X			
Red Knot	ъ	X	ъ.	
Sanderling	$\mathbf{R}$		R	
Semipalmated Sandpiper		0	X	_
Western Sandpiper	U	0	$\stackrel{\text{C}}{\sim}$	R
Least Sandpiper	U	O	С	С
Baird's Sandpiper		_	U	
Pectoral Sandpiper	_	$\mathbf{R}$	0	_
Dunlin	R		0	R
Short-billed Dowitcher	X	_	$\underset{\sim}{\mathrm{R}}$	
Long-billed Dowitcher	U	R	С	U
Wilson's Snipe	U	~	U	U
Wilson's Phalarope	U	С	C	
Red-necked Phalarope	Ū	U	U	
Red Phalarope	$\mathbf{R}$		$\mathbf{R}$	
Gulls, Terns and Skimmers			_	
Sabine's Gull			$\mathbf{R}$	
Bonaparte's Gull	R		$\mathbf{R}$	
Little Gull			X	
Laughing Gull		X		
Franklin's Gull	U		R	
Ring-billed Gull	$\mathbf{C}$	U	$\mathbf{C}$	$\mathbf{C}$
California Gull	U	$\mathbf{R}$	U	O
Herring Gull			$\mathbf{R}$	$\mathbf{R}$
Least Tern	X			
Caspian Tern	U	U	U	$\mathbf{R}$

	Sp	S	F	W
<b>Gulls, Terns and Skimmers</b> (continued)				
Black Tern	U	U	$\mathbf{C}$	
Common Tern	O	U	U	
Forster's Tern	U	$\mathbf{C}$	U	$\mathbf{R}$
Jaegers			77	
Pomarine Jaeger			X	
Parasitic Jaeger			R	
Long-tailed Jaeger			X	
Pigeons and Doves	TT	TT	U	IJ
Eurasian Collared-Dove  *White-winged Dove	$_{\mathrm{C}}^{\mathrm{U}}$	$^{ m U}_{ m C}$	Ü	U
*Mourning Dove	$\ddot{\mathrm{C}}$	A	Č	U
**Inca Dove	$\stackrel{ m C}{ m R}$	R	$\overset{ m C}{ m R}$	R
— Common Ground-Dove	R	R	R	R
Cuckoos and Roadrunners	10	10	10	10
**Yellow-billed Cuckoo		U		
*Greater Roadrunner	$\mathbf{C}$	$\overset{\circ}{\mathrm{C}}$	$\mathbf{C}$	С
Barn Owls	C	O	C	O
*Barn Owl	0	0	0	0
Typical Owls		O	O	O
*Western Screech-Owl	U	IJ	U	U
*Great Horned Owl	$\ddot{\mathrm{C}}$	$\ddot{\mathrm{C}}$	Č	$\tilde{\mathbf{C}}$
**Elf Owl	$\overset{\circ}{\mathrm{R}}$	$\overset{\circ}{\mathrm{R}}$	C	O
*Burrowing Owl	Ü	Ü	U	U
*Long-eared Owl	$\overset{ m C}{ m R}$	O	O	R
Short-eared Owl	10			X
Goatsuckers				- 11
*Lesser Nighthawk	$\mathbf{C}$	С	С	
Common Nighthawk		X	Ū	
*Common Poorwill	U	Ü	U	
Swifts		Ū	Ū	
Vaux's Swift	0		0	
White-throated Swift	Ŭ	U	Ŭ	U
Hummingbirds		_		
*Black-chinned Hummingbird	$\mathbf{C}$	С		
*Anna's Hummingbird	Č	Č	С	$\mathbf{C}$
*Costa's Hummingbird	Ċ	0	_	Ū
Calliope Hummingbird	_	_	X	
Rufous Hummingbird	0	X	0	
Kingfishers				
Belted Kingfisher	U		С	$\mathbf{C}$
Green Kingfisher	X		_	_
Woodpeckers				
Lewis's Woodpecker	X	X	X	X
*Gila Woodpecker	U	U	U	U
Yellow-bellied Sapsucker	X		X	X
Red-naped Sapsucker	0		U	U
Red-breasted Sapsucker	X		-	ū
*Ladder-backed Woodpecker	C	С	С	$\mathbf{C}$
Northern Flicker	_	_	-	-
"Red-shafted"	U		$\mathbf{C}$	$\mathbf{C}$
"Yellow-shafted"			Ř	Ř

	Sp	S	F	W
Tyrant Flycatchers				
Olive-sided Flycatcher	O		O	
Greater Pewee				X
Western Wood-Pewee	$\mathbf{C}$	U	С	
$\overline{}$ *Willow Flycatcher	U	U	U	
Hammond's Flycatcher	$\mathbf{C}$		0	$\mathbf{R}$
Gray Flycatcher	O		0	O
Dusky Flycatcher	$\mathbf{R}$		$\mathbf{R}$	
Pacific-slope Flycatcher	$\mathbf{C}$	U	С	$\mathbf{R}$
**Black Phoebe	$\mathbf{C}$	0	С	$\mathbf{C}$
Eastern Phoebe			$\mathbf{R}$	$\mathbf{R}$
*Say's Phoebe	$\mathbf{C}$	U	С	$\mathbf{C}$
**Vermilion Flycatcher	O	0	0	U
Dusky-capped Flycatcher				X
*Ash-throated Flycatcher	$\mathbf{C}$	$\mathbf{C}$	0	$\mathbf{R}$
*Brown-crested Flycatcher	Ŭ	Ŭ	-	
**Tropical Kingbird	Ü	X	X	
Cassin's Kingbird	X		X	X
*Western Kingbird	C	$\mathbf{C}$	Ü	11
Eastern Kingbird	C	$\ddot{\mathrm{X}}$	Ü	
Shrikes		41		
*Loggerhead Shrike	С	$\mathbf{C}$	$\mathbf{C}$	С
Northern Shrike	C	O	O	X
/ireos				21
White-eyed Vireo			X	
*Bell's Vireo	U	U	Ü	X
Gray Vireo	X	U	U	11
Plumbeous Vireo	0		U	R
Cassin's Vireo	Ü		Ü	R
Warbling Vireo	C	0	C	11
Crows and Jays	C	U	C	
Pinyon Jay			X	
	R		R	R
Steller's Jay	R R		0	0
Western Scrub-Jay	n		X	U
Clark's Nutcracker				ъ
American Crow	C	C	R	R
*Common Raven	С	$\mathbf{C}$	C	С
Larks		T.T.	т.т	
Horned Lark	U	U	U	U
Swallows	ъ		ъ	
Purple Martin	R		R	
Tree Swallow	A	U	A	A
Violet-green Swallow	$\mathbf{C}$	U	U	0
*No. Rough-winged Swallow	C	C	C	O
Bank Swallow	0	0	0	
*Cliff Swallow	C	С	0	
Barn Swallow	U	$\mathbf{R}$	$\mathbf{C}$	X
Verdins				
*Verdin	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$

	Sp	S	F	W
Bushtits				
Bushtit			$\mathbf{R}$	$\mathbf{R}$
Nuthatches				
Red-breasted Nuthatch	${ m R}$		$\mathbf{R}$	
White-breasted Nuthatch				X
Creeper				
Brown Creeper				$\mathbf{R}$
Wrens				
*Cactus Wren	U	Ü	Ü	Ü
*Rock Wren	U	0	C	$_{\mathrm{C}}^{\mathrm{C}}$
*Canyon Wren	C	С	C	C
*Bewick's Wren House Wren	U U	U	$_{\mathrm{C}}^{\mathrm{U}}$	C
Pacific Wren	Ö		ŏ	C O
*Marsh Wren	Č	$\mathbf{C}$	Č	Č
Gnatcatchers	O	O	O	O
Blue-gray Gnatcatcher	U		U	U
*Black-tailed Gnatcatcher	Č	С	$\overset{\circ}{\mathrm{C}}$	C
Kinglets	O	O	O	O
Golden-crowned Kinglet			R	R
Ruby-crowned Kinglet	$\mathbf{C}$		C	A
Thrushes	O		O	А
Western Bluebird			O	0
Mountain Bluebird			Ö	Ö
Townsend's Solitaire	O		Ö	0
Swainson's Thrush	Ö		O	U
Hermit Thrush	Ü		U	U
Rufous-backed Robin	U		U	X
American Robin	O		0	0
Varied Thrush	U		R	R
Mockingbirds and Thrashers			11	10
*Northern Mockingbird	$\mathbf{C}$	$\mathbf{C}$	С	С
Sage Thrasher	Ü	C	Ü	0
Bendire's Thrasher	$\overset{ m O}{ m R}$	R	$\stackrel{ m C}{ m R}$	U
Curve-billed Thrasher	X	X	X	
*Crissal Thrasher	Č	C	C	С
Starlings	C	C	C	C
*European Starling	$\mathbf{C}$	U	$\mathbf{C}$	С
Pipits	C	U	C	C
American Pipit	U		$\mathbf{C}$	С
Sprague's Pipit	U		X	X
<u> </u>			Λ	Λ
Bohemian Waxwing			X	
Cedar Waxwing	${ m R}$	X	R	0
Silky-flycatchers	I.	Λ	I	О
	C	O	U	$\mathbf{C}$
*Phainopepla <b>Longspurs</b>	C	U	U	C
LUMUSUMS			R	
Chestnut-collared Longspur				

	Sp	S	F	W
Wood-Warblers				
Northern Waterthrush		X	X	
Black-and-white Warbler	${ m R}$		$\mathbf{R}$	$\mathbf{R}$
Orange-crowned Warbler	$\mathbf{C}$		С	$\mathbf{C}$
*Lucy's Warbler	$\mathbf{C}$	$\mathbf{C}$		
Nashville Warbler	U		U	
Virginia's Warbler	R	X	R	
MacGillivray's Warbler	$\mathbf{C}$	a	$\mathbf{C}$	TT
_*Common Yellowthroat	С	$\mathbf{C}$	С	U
_American Redstart	R		R	R
Northern Parula	X		X	X
_Magnolia Warbler	~	0	X	_
*Yellow Warbler	$\mathbf{C}$	O	$\mathbf{C}$	R
_Blackpoll Warbler	X			
_Yellow-rumped Warbler				_
"Myrtle"	U		U	0
"Audubon's"	C		$\mathbf{C}$	A
_Black-throated Gray Warbler	U		U	
_Townsend's Warbler	U		U	
_Hermit Warbler	U		0	
_Wilson's Warbler	$\stackrel{ ext{C}}{\sim}$	~	$\mathbf{C}$	
_*Yellow-breasted Chat	$\mathbf{C}$	$\mathbf{C}$	U	
whees, Sparrows, and Allies				
_Green-tailed Towhee	U		U	U
_Spotted Towhee	0		U	0
_*Abert's Towhee	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$
Cassin's Sparrow			X	
_Chipping Sparrow	U	O	U	U
_Clay-colored Sparrow			X	
Brewer's Sparrow	$\mathbf{C}$		$\mathbf{C}$	$\mathbf{C}$
Black-chinned Sparrow	$\mathbf{X}$			
_Vesper Sparrow	U		U	U
Lark Sparrow	O		O	O
_*Black-throated Sparrow	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$
Sage Sparrow	O		U	$\mathbf{C}$
Lark Bunting			$\mathbf{R}$	
Savannah Sparrow	$\mathbf{C}$		C	$\mathbf{C}$
Grasshopper Sparrow				X
LeConte's Sparrow			X	
Fox Sparrow	${ m R}$		R	$\mathbf{R}$
_*Song Sparrow	C	$\mathbf{C}$	C	C
Lincoln's Sparrow	$\check{ ext{C}}$		$\ddot{\mathrm{C}}$	$\ddot{\mathrm{C}}$
Swamp Sparrow	$\overset{\circ}{ m R}$		ŏ	ŏ
White-throated Sparrow			,	R
Harris's Sparrow				X
White-crowned Sparrow	$\mathbf{C}$		$\mathbf{C}$	A
Golden-crowned Sparrow	$\overset{ ext{C}}{ ext{R}}$		$\stackrel{ m C}{ m R}$	0
_dolden-crowned Sparrow _Dark-eyed Junco	10		10	U
"Oregon"	0		U	U
"Slate-colored"	J		Ö	$^{ m R}$
"Gray-headed"			R	R
Gray incaded			10	10

	Sp	S	F	W
Tanagers				
*Summer Tanager	$\mathbf{C}$	С	С	
Western Tanager	С	U	U	
Cardinals, Grosbeaks and Buntings				
Rose-breasted Grosbeak	$\mathbf{R}$	$\mathbf{R}$		X
Black-headed Grosbeak	$\mathbf{C}$	U	С	
*Blue Grosbeak	$\mathbf{C}$	$\mathbf{C}$	0	
Lazuli Bunting	U		U	
*Indigo Bunting	0	U	0	
Dickcissel				X
Blackbirds				
Bobolink			X	
*Red-winged Blackbird	$\mathbf{C}$	A	Α	$\mathbf{C}$
Western Meadowlark	U		С	$\mathbf{C}$
*Yellow-headed Blackbird	U	$\mathbf{C}$	С	
Rusty Blackbird				X
Brewer's Blackbird	U		С	$\mathbf{C}$
*Great-tailed Grackle	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	U
*Brown-headed Cowbird	$\mathbf{C}$	$\mathbf{C}$	O	$\mathbf{R}$
Orchard Oriole			X	
*Hooded Oriole	0	$\mathbf{C}$	O	
*Bullock's Oriole	$\mathbf{C}$	$\mathbf{C}$	U	
Baltimore Oriole			X	
Finches and Allies				
Purple Finch			X	X
*House Finch	C	$\mathbf{C}$	C	C
Pine Siskin	0		0	O
*Lesser Goldfinch	U	U	U	U
Lawrence's Goldfinch	R		0	0
American Goldfinch	O		0	O
Evening Grosbeak			R	
Old World Sparrows				
*House Sparrow	U	U	U	U



 ${\it Costa's\ humming bird.}\ {\mathbb C}\ {\it John\ West}$ 

Havasu National Wildlife Refuge 317 Mesquite Avenue Needles, California 92363 760/326-3853 760/326-5745 Fax

Visit us on our social media websites U.S. Fish and Wildlife Service www.fws.gov/southwest/

For Refuge Information 1 800/344-9453 (WILD)

For relay service, please dial 711

 $\begin{array}{c} Loggerhead\ shrike \\ @\ John\ West \end{array}$ 

## February 2012





